



McMILLAN[®]

STOCKS

ORDER FORM

COMPANY / NAME: _____ CONTACT: _____

SHIPPING ADDRESS: _____

CITY: _____ STATE: _____ ZIP: _____ COUNTRY: _____

PHONE: _____ EMAIL: _____

NEW ACCOUNT? YES NO TYPE RETAIL DEALER LEO MILITARY

DATE: _____ QTY: _____ PO#: _____

STOCK											*INTEGRAL ADJUSTABLE CHEEK PIECE (TACTICAL FILL REQUIRED)		YES	NO
SHELL TYPE	CARBON FIBER					FIBERGLASS								
*FINISH	PAINT:		SOLID		SPECKLED		TRANSITION CAMO							
	MOLDED IN:		MARBLE		CAMO		AMBUSH		**CARBON AMBUSH		**BANDED CARBON			
*COLOR														
*FILL TYPE	**EDGE		ENHANCED **EDGE		SPORTER		MAGNUM		SNIPER		OTHER:			
*ACTION	BOLT LOCATION		R	L	PORT LOCATION		R	L	LONG ACTION		MEDIUM ACTION		SHORT ACTION	
	BRAND					MODEL								
*FLOOR PLATE OR TRIGGER GUARD	SINGLE SHOT		BLIND MAGAZINE				HINGED FLOOR PLATE				DETACHABLE BOX MAGAZINE			
	BRAND					MODEL								
*MISC.	RECOIL LUG				ACTION SCREW HOLE SIZE				CALIBER/ CARTRIDGE					
*BARREL	BRAND				CONTOUR				CYLINDER LENGTH					
*INLET TYPE	ALUMINUM PILLARS		YES	NO					FULL INLET		BASIC INLET		FLAT TOP	
*RECOIL PAD							LENGTH OF PULL		13.5"	CUSTOM				
*CHEEK PIECE HARDWARE	CLAMP BAR		THUMBWHEEL		SADDLE		KMW (PARTIAL INLET ONLY)				NONE			
*STUDS	QUANTITY		LOCATION						STEEL BLUED FINISH		STEEL NICKEL FINISH			
*FLUSH CUPS	QUANTITY		LOCATION											
*PICATINNY RAILS	2" PIC		2" PIC WITH CUP		4" PIC WITH CUP		4" PIC WITH STUD		7" PIC WITH CUP		NO PICATINNY RAILS			
*ANSCHUTZ RAIL	10" ANSCHUTZ RAIL										NO ANSCHUTZ RAILS			
*ARCA RAILS	2" ARCA AT FRONT FOREARM		2" ARCA IN FRONT OF FLOOR PLATE				4" ARCA AT FRONT FOREARM		4" ARCA IN FRONT OF FLOOR PLATE					
	6" ARCA AT FRONT FOREARM		6" ARCA IN FRONT OF FLOOR PLATE				9" ARCA		12" ARCA		NO ARCA RAILS			
*EFR (INLET ONLY)	BADGER		PGW / SOL STRATEGIC				IBA XM-3				NO EFR INLET			

Stocks@McMillanUSA.com - Phone: 877-365-6148

*Not all options are available on all stock models, see website for details. **Requires Carbon Fiber shell



McMILLAN[®]

STOCKS

ORDER FORM INSTRUCTIONS

STOCK

List the model of the stock adding as much detail as possible. As an example, If it is an integral adjustable cheek piece stock, list "Adjustable". If it is a left handed stock, list "Left Handed".

SHELL TYPE

We offer two different shell materials, Fiberglass and Carbon Fiber. Typically, standard stock are Fiberglass. Carbon Fiber is typically for lighter weight stocks. There is an additional charge for Carbon Fiber and finish types are limited to painted finishes, Carbon Ambush or Banded Carbon. On this line you can also indicate whether your stock has an integral cheek piece by checking the box to the right.

FINISH

The "Finish" determines the stock's outer appearance. We have several painted and molded-in options. Standard paint designs are no additional charge. There is an additional charge for molded-in stocks and they take longer to produce. View our "Colors and Finishes" page on our website for finish options and more information.

COLOR

List your finish pattern type here. If the finish you choose allows custom colors (marble, carbon ambush, paint and speckled finishes) list the specific colors here.

FILL TYPE

Fill types are materials of different density. The most significant impact is to weight (more dense is heavier). They are listed in order by weight, lightest to heaviest. "EDGE" fill is for Carbon Fiber stocks and achieve the lightest weight. "Edge Enhanced" is used when recoil energy is near that of a 300 Win Mag. The "Sporter" fill is the standard fill used on Fiberglass stocks. "Magnum" fill is used when the cartridge used has MORE recoil energy than a 300 Win Mag. "Sniper" fill is heavier in the butt and is typically used in tactical stocks. "Sniper" can handle recoil energy of cartridges up to .50 BMG.

ACTION

Indicate the bolt and port location, the action size, brand and model of action that you will be using for your build. Include any special designators that help clearly identify your specific action. Be aware that some brands and/or models of actions must be sent in for proper fitment.

FLOOR PLATE, DBM OR TRIGGER GUARD

Indicate if this is a single shot, blind magazine, hinged floor plate or detachable box magazine system. Also indicate the brand and model for the bottom metal you will be using even if it is just a trigger guard. Be aware that some brands and/or models of bottom metal must be sent in for proper fitment.

MISC.

If you have upgraded your recoil lug to a thicker one, please indicate the thickness here. If you do not want us to install pillars, then you may request we drill the action screw holes a specific size so you can install your own pillars. Typical sizes are 9/16", 1/2", or 5/8". If you have a factory lug and/or want is to install pillars, leave these blank. Your Caliber/Cartridge (what your rifle shoots) is required to ensure we build the stock to handle the recoil of your rifle.

BARREL

Indicate the brand of your barrel and the contour designated by that brand. The contour may be a number or a name. If you don't know the brand and/or contour ask us for a Barrel Measuring form. This simple form is easy to complete and it gives us everything we need to custom fit your barrel channel. "Cylinder Length" is measured from the face of the action to the first change in the contour of the barrel. We do not need a barrel cylinder measurement for factory barrels from the major gun manufacturing brands.

INLET TYPE

We offer three inlet types. "Full Inlet" is by far the most common. A Full Inlet stock comes ready to install your action and bottom metal. A "Basic Inlet" is just a barrel channel and action outline. It is not inlet for the trigger, recoil lug, bottom metal, bolt, or ports. This option is great for gunsmiths who like to do their own fitting. The "Flat Top" is no inlet, there are no cuts in the stock whatsoever.

RECOIL PAD

We offer several recoil pad and plate systems. Please indicate the type you want installed. If using a fixed Length of Pull indicate the length. Select 13.5" for the industry standard. If you want something other than the industry standard, select Custom and list your finished custom length. Some length limitations apply and not all recoil plate systems are compatible on all stocks.

CHEEK PIECE HARDWARE

If your stock has an integral cheek piece, indicate if you want clamp bar or thumbwheel hardware. A Saddle cheek piece sit externally and fits on some stocks. We can also partially inlet for a KMW cheek piece (not installed).

STUDS

List the number and location of studs you want installed. Indicate if you want them blued or steel nickel finish.

FLUSH CUPS

List the number and location of flush mount cups you want installed. Flush mount cups are quick detach, push button sling mounts and can be installed on the bottom and sides of most stocks.

RAILS

McMillan offers rails in both a Picatinny and ARCA configuration. They are offer in a variety of lengths and some feature sling attachment points. Not all stocks are able to accommodate rails.

EFR INLET

McMillan offers inletting options for sever EFR (Embedded Front Rail) Night Vision mounts. This is only available on select models that are capable of accommodating the additional inletting required. Full installation of customer supplied EFR mount is available upon request.

To order your McMillan stock:

- Complete this form and email it to stocks@mcmillanusa.com
- If you need assistance completing the form call 877.365.6148 to reach our technical specialists



McMILLAN[®]
STOCKS

1638 West Knudsen Drive, Phoenix, Arizona 85027
stocks@mcmillanusa.com
623.582.9674